

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : COUNTRY RANGE DUAL ACTION 800-300-7349
Product code : 73490
Type of product : Detergent
Product group : Powder

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Intended for general public
Main use category : Consumer use
Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Country Range Group Ltd, P.O. Box 508, Burnley BB11 9EH

Tel 0845 209 3777 | Fax 0845 209 3778

www.countryrange.co.uk | enquiries@countryrange.co.uk

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Eye Irrit. 2 H319

Full text of H-phrases and information regarding DetNet: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R41 After application of the method of Young, the product can be classified as; not dangerous

Full text of R-phrases: see section 16

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS07

CLP Signal word : Warning
Hazard statements (CLP) : H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P102 - Keep out of reach of children.
P264 - Wash hands thoroughly after handling.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell.
P101 - If medical advice is needed, have product container or label at hand.

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : There are no typical symptoms and effects known. The powder may cause eye irritation. Inhalation of finely ground product may cause sensitization. For frequent contact with undiluted product may cause redness of the skin occur.

Other hazards not contributing to the classification : Spilled material may present a slipping hazard.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium carbonate	(CAS No) 497-19-8 (EC no) 207-838-8 (EC index no) 011-005-00-2 (REACH-no) 01-2119485498-19	15 - 30	Xi; R36	Eye Irrit. 2, H319
SODIUM CARBONATE PEROXIDE	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30	5 - 15	O; R8 Xn; R22 Xi; R41	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
SODIUM SILICATE	(CAS No) 1344-09-8 (EC no) 215-687-4	< 5	Xi; R41 Xi; R37/38	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
C12-15 PARETH-7	(CAS No) 68131-39-5 (EC no) polymer (REACH-no) 02-2119548515-35	< 5	Xn; R22 Xi; R41	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412
SODIUM DODECYLBENZENESULFONATE	(CAS No) 68411-30-3 (EC no) 270-115-0 (REACH-no) 01-2119489428-22	< 5	Xi; R41 Xi; R38	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits: DSD/DPD	Specific concentration limits: CLP
SODIUM CARBONATE PEROXIDE	(CAS No) 15630-89-4 (EC no) 239-707-6 (REACH-no) 01-2119457268-30		(10 =< C < 25) Eye Irrit. 2, H319 (C >= 25) Eye Dam. 1, H318 (C >= 25) Acute Tox. 4 (Oral), H302

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Does not require any particular or specific measures. Handle in accordance with the usual hygiene rules.

First-aid measures after inhalation : Move to fresh air. Obtain medical attention if necessary.

First-aid measures after skin contact : Rinse skin with plenty of water or shower. If skin irritation persists, take medical advice.

First-aid measures after eye contact : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. If irritation persists, consult a doctor.

First-aid measures after ingestion : Drink plenty of water. Do not induce vomiting. Call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Contact during a long period may cause slight irritation.

Symptoms/injuries after eye contact : Irritating to eyes.

Symptoms/injuries after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

No supplementary information available.

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam, powder, carbon dioxide (CO₂), water spray.
Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non combustible.
Explosion hazard : No dangerous reactions known.

5.3. Advice for firefighters

Precautionary measures fire : Wear suitable respiratory equipment in case of insufficient ventilation.
Firefighting instructions : No special precautions required.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : No special required clothing.
Emergency procedures : Clean spills promptly.

6.1.2. For emergency responders

Protective equipment : No special required clothing.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Not in groundwater, surfacewater or sewerage.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. Sweep up or shovel.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : No specific measures are necessary.
Hygiene measures : Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from moisture. Keep out of reach of children.
Storage area : Store tightly closed in a dry and cool place.

7.3. Specific end use(s)

Laundry Powder.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

8.2. Exposure controls

Materials for protective clothing	: No special required clothing
Hand protection	: In case of repeated or prolonged contact wear gloves. Hand protection: The glove material has to be impermeable and resistant to the product/the substance/the preparation. When choosing the glove material, take account of the permeation times, the degree of permeability and the breakdown rate. Glove material: Choosing a suitable glove is not just about the material, other quality features also come into play and these differ from manufacturer to manufacturer. Given the product is composed from several substances, the durability of the glove material cannot be calculated in advance and therefore it has to be tested before use. Always seek advice from the manufacturer of the gloves. Hygiene: Contaminated gloves should be replaced. Personal hygiene is an essential condition to ensure proper care of the hands. Gloves should only be worn when hands are clean. Hands should be thoroughly washed and dried after having worn gloves. Permeation time of the glove material: The manufacturer of the glove can inform you of the exact permeation time; take account of this. According to DIN EN 374, when there is hand contact with the product and that contact was for a period of 15 minutes, then the gloves of the following material offer sufficient protection. <ul style="list-style-type: none">• Butyl rubber (thickness > 0.5 mm)• Nitril rubber (thickness > 0.35 mm)• Polychloroprene rubber (thickness > 0.4 mm)• Natural rubber (thickness > 0.5 mm) For continuous contact, we recommend gloves with a breakthrough time of at least 240 minutes, where preference lies with a breakthrough time of more than 480 minutes. Protection against splashes: The same gloves used for long term contact should be worn for short term contact or protection against splashes. A shorter breakthrough time can be acceptable when it is just used for a timely replacement.
Eye protection	: In case of repeated or prolonged contact use safety glasses
Skin and body protection	: not necessary
Respiratory protection	: not necessary

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: White. with blue speckles.
Odour	: perfumed.
Odour threshold	: No data available
pH	: No data available
pH solution	: 10 - 10.4 (1g/100ml)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not flammable
Auto-ignition temperature	: No data available
Decomposition temperature	: No decomposition
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 750 - 850 g/l
Solubility	: Water: complete
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: Contains oxidizing components. Not oxidizing. Regulation EC 440/2008 / A.17 Oxidizing properties (solids).
Explosive limits	: No data available

9.2. Other information

No additional information available

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Do not mix with other products.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified
Based on available data, the classification criteria are not met

sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg
LC50 inhalation rat (mg/l)	2.3 mg/l/4h

SODIUM CARBONATE PEROXIDE (15630-89-4)	
LD50 oral rat	1034 mg/kg
LD50 dermal rabbit	≥ 2000 mg/kg

SODIUM SILICATE (1344-09-8)	
LD50 oral rat	1300 - 2200 mg/kg

C12-15 PARETH-7 (68131-39-5)	
LD50 oral rat	500 - 2000 mg/kg

SODIUM DODECYLBENZENESULFONATE (68411-30-3)	
LD50 oral rat	2000 - 5000 mg/kg
LD50 dermal rat	≤ 2000 mg/kg

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated exposure) : Not classified
Aspiration hazard : Not classified
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended.
Ecology - water : The surfactants in this product comply with the biodegradability criteria as laid down in Regulation (EC) no.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

sodium carbonate (497-19-8)	
LC50 fish 1	(96h) 300 mg/l <i>Lepomis macrochirus</i>
EC50 Daphnia 1	(48h) 227 mg/l <i>Ceriodaphnia dubia</i>

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SODIUM CARBONATE PEROXIDE (15630-89-4)	
LC50 fish 1	(96h) 70.7 mg/l Pimephales promelas
EC50 Daphnia 1	(48h) 4.9 mg/l Daphnia pulex
NOEC chronic fish	(96h) 7.4 mg/l Primaphales promelas
NOEC chronic crustacea	(48h) 2 mg/l Daphnia pulex
C12-15 PARETH-7 (68131-39-5)	
LC50 fish 1	(96h) 5 (1 - 10) mg/l brachydanio rerio
EC50 Daphnia 1	(48h) 5 (1 - 10) mg/l Daphnia magna
EC50 other aquatic organisms 1	(72h) 5 (1 - 10) mg/l Scenedesmus subspicatus
SODIUM DODECYLBENZENESULFONATE (68411-30-3)	
LC50 fish 1	(96h) 10 (1 - 10) mg/l Cyprinus carpio
EC50 Daphnia 1	(48h) 10 (1 - 10) mg/l Daphnia magna
EC50 other aquatic organisms 1	(72h) 100 (10 - 100) mg/l Scenedesmus subspicatus
EC50 other aquatic organisms 2	(17h) 63 mg/l Pseudomonas putida

12.2. Persistence and degradability

COUNTRY RANGE DUAL ACTION 800-300-7349	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

COUNTRY RANGE DUAL ACTION 800-300-7349	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

COUNTRY RANGE DUAL ACTION 800-300-7349	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

Additional information : No other effects known. Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste disposal recommendations : Dispose of contents/container to local regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Detergent Regulation : Labelling of contents:

Component	%
Oxygen-based bleaching agents, Zeolites	5-15%
Non-ionic surfactants, Phosphonates, Anionic surfactants, Soap	<5%
Enzymes (protease, amylase, lipase), Optical brighteners, Perfumes	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

COUNTRY RANGE DUAL ACTION 800-300-7349

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 16: Other information

- Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.
- Other information : The classification as mentioned in chapter 2.1 according Regulation(EC) Nr. 1272/2008 [CLP] is derived after the application of DetNet. Classification logging number: DetNet/xxxx.

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
R22	Harmful if swallowed
R36	Irritating to eyes
R37/38	Irritating to respiratory system and skin
R38	Irritating to skin
R41	Risk of serious damage to eyes
R8	Contact with combustible material may cause fire
O	Oxidising
Xi	Irritant
Xn	Harmful

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product