



SAFETY DATA SHEET

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID
Product number	800-142-0001
Internal identification	CRG851
Container size	5 litres
UFI	07KX-AM36-1J7C-TJH8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent.
Uses advised against	Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	<p>www.countryrange.co.uk</p> <p>GB: The Country Range Group Ltd, 4 & 5, Jupiter House, Mercury Rise, Altham, Lancashire, BB5 5BY.</p> <p>+44 (0) 845 209 3777</p> <p>EU: The Country Range Group, PO Box 246, NEWTOWNABBEY, BT36 9EZ.</p> <p>+44 (0) 845 209 3777</p>
Contact person	hello@countryrange.co.uk

1.4. Emergency telephone number

Emergency telephone	0845 209 3777 (Country Range)
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Signal word	Danger
Hazard statements	H318 Causes serious eye damage.
Precautionary statements	P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P264 Wash skin thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with local regulations.
Contains	C12-14-ALKYL ETHER SULFATES
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol
Supplementary precautionary statements	P101 If medical advice is needed, have product container or label at hand.
Labelling notes	Note:- When assessing the classification of this product, specific cut off values applied to CAS No- 68891-38-3

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES	1-5%
CAS number: 68891-38-3	EC number: 500-234-8
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	
AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES	<1%
CAS number: 308062-28-4	EC number: 931-292-6
M factor (Acute) = 1	
Classification	
Acute Tox. 4 - H302	Classification (67/548/EEC or 1999/45/EC)
Skin Irrit. 2 - H315	Xn;R22. Xi;R38,R41. N;R50.
Eye Dam. 1 - H318	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

PHOSPHORIC ACID		<1%
CAS number: 7664-38-2		EC number: 231-633-2
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R34	
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
BRONOPOL (INN)		<1%
CAS number: 52-51-7		EC number: 200-143-0
M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	Provide eyewash station.
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with Bleach.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL Workers - Inhalation; Long term systemic effects: 175 mg/m³
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 52 mg/m³
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC - Fresh water; 0.24 mg/l
 - marine water; 0.024 mg/l
 - Intermittent release; 0.071 mg/l
 - Sediment, Fresh water; 0.917 mg/kg
 - Sediment, marine water; 0.092 mg/kg
 - Soil; 7.5 mg/kg
 - STP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³
 Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Workers - Dermal; Long term local effects: 0.0936 mg/cm²
 General population - Inhalation; Long term systemic effects: 21.73 mg/m³
 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
 General population - Dermal; Long term local effects: 0.0562 mg/cm²
 General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC - Fresh water; 0.007 mg/l
 - marine water; 0.001 mg/l
 - STP; 830 mg/l
 - Sediment (Freshwater); 0.195 mg/kg
 - Sediment (Marinewater); 0.019 mg/kg
 - Soil; 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL Workers - Inhalation; Long term systemic effects: 15.5 mg/m³
 Workers - Dermal; Long term systemic effects: 11 mg/kg/day
 General population - Inhalation; Long term systemic effects: 3.8 mg/m³
 General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
 General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC - Fresh water; 0.034 mg/l
 - marine water; 0.003 mg/l
 - STP; 24 mg/l
 - Sediment (Freshwater); 5.24 mg/kg
 - Sediment (Marinewater); 0.524 mg/kg
 - Soil; 1.02 mg/kg

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

DIETHANOLAMINE (CAS: 111-42-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Dermal; Long term systemic effects: 0.13 mg/cm²
 General population - Inhalation; Long term local effects: 0.25 mg/m³
 General population - Dermal; Long term systemic effects: 0.07 mg/kg/day
 General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l
 - marine water; 0.002 mg/l
 - STP; 100 mg/l
 - Sediment (Freshwater); 0.092 mg/kg
 - Sediment (Marinewater); 0.009 mg/kg
 - Soil; 0.007 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL Workers - Inhalation; Long term systemic effects: 10.7 mg/m³
 Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Inhalation; Short term local effects: 2 mg/m³
 General population - Inhalation; Long term systemic effects: 4.57 mg/m³
 General population - Inhalation; Long term local effects: 0.36 mg/m³
 General population - Oral; Long term systemic effects: 0.1 mg/kg/day

BRONOPOL (INN) (CAS: 52-51-7)

DNEL Workers - Inhalation; Long term systemic effects: 4.1 mg/m³
 Workers - Inhalation; Short term systemic effects: 12.3 mg/m³
 Workers - Inhalation; Long term local effects: 4.2 mg/m³
 Workers - Inhalation; Short term local effects: 4.2 mg/m³
 Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
 Workers - Dermal; Short term systemic effects: 7 mg/kg/day
 Workers - Dermal; Long term local effects: 0.013 mg/cm²
 Workers - Dermal; Short term local effects: 0.013 mg/cm²
 General population - Inhalation; Long term systemic effects: 1.2 mg/m³
 General population - Inhalation; Short term systemic effects: 3.7 mg/m³
 General population - Inhalation; Long term local effects: 1.3 mg/m³
 General population - Inhalation; Short term local effects: 1.3 mg/m³
 General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
 General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
 General population - Dermal; Long term local effects: 0.008 mg/cm²
 General population - Dermal; Short term local effects: 0.008 mg/cm²
 General population - Oral; Long term systemic effects: 0.35 mg/kg/day
 General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC - Fresh water; 0.01 mg/l
 - marine water; 0.008 mg/l
 - Intermittent release; 0.0025 mg/l
 - STP; 0.43 mg/l
 - Sediment (Freshwater); 0.041 mg/kg
 - Sediment (Marinewater); 0.00328 mg/kg
 - Soil; 0.5 mg/kg

8.2. Exposure controls

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Lemon.
Odour threshold	Not applicable.
pH	pH (concentrated solution): 7.5
Melting point	Not applicable.
Initial boiling point and range	90 - 105 Degrees C.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	Not applicable.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Vapour density	Not applicable.
Relative density	1.015 @ @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	No information available.
Explosive properties	Not applicable
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Under normal storage conditions this product is stable.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Do not mix with Bleach based products as this could cause dangerous warming of the solution.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Calculation method. Based on available data the classification criteria are not met.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Irritation of eyes is assumed. Calculation method.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information

This product has low toxicity.

Inhalation

This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion

May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contact

Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.

Eye contact

Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

Toxicological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,100.0

Species Rat

ATE oral (mg/kg) 4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Species	Rat
ATE dermal (mg/kg)	2,001.0

SODIUM CHLORIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	3,550.0
--	---------

Species	Rat
----------------	-----

Notes (oral LD₅₀)	REACH dossier information.
-------------------------------------	----------------------------

ATE oral (mg/kg)	3,550.0
-------------------------	---------

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg)	10,000.1
--	----------

Species	Rabbit
----------------	--------

Notes (dermal LD₅₀)	REACH dossier information.
---------------------------------------	----------------------------

ATE dermal (mg/kg)	10,000.1
---------------------------	----------

Skin corrosion/irritation

Skin corrosion/irritation	Not irritating. REACH dossier information.
----------------------------------	--

Serious eye damage/irritation

Serious eye damage/irritation	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Slightly irritating.
--------------------------------------	--

Respiratory sensitisation

Respiratory sensitisation	No information available.
----------------------------------	---------------------------

Skin sensitisation

Skin sensitisation	Not sensitising.
---------------------------	------------------

Germ cell mutagenicity

Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.
--------------------------------	---

Carcinogenicity

Carcinogenicity	There is no evidence that the product can cause cancer.
------------------------	---

General information	This product has low toxicity.
----------------------------	--------------------------------

Inhalation	No specific health hazards known.
-------------------	-----------------------------------

Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
------------------	---

Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
---------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,064.0

Species Rat

ATE oral (mg/kg) 1,064.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.1

Species Rat

ATE dermal (mg/kg) 2,000.1

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Skin sensitisation

Skin sensitisation Not sensitising.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

SECTION 12: Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects. Note: Comment refers to the neat product. Normal use solutions are not classified as environmentally harmful.

Ecological information on ingredients.

SODIUM CHLORIDE

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)
REACH dossier information.

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna
REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)
REACH dossier information.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.27 mg/l, Daphnia magna
REACH dossier information.

SODIUM CHLORIDE

Toxicity Not considered toxic to fish.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 5840 mg/l, Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 874 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 96 hours: 6870 mg/l, Freshwater plants

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, LOEC, 33 days: 252 and 352 mg/l, Pimephales promelas (Fat-head Minnow)

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 314 mg/l, Freshwater invertebrates

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Toxicity Very toxic to aquatic organisms. Supplier's information.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 2.67 mg/l, Freshwater fish
Supplier's information.

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 3.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants Supplier's information.
EC₅₀, 72 hours: 0.146 mg/l, Freshwater algae

Chronic aquatic toxicity

Chronic toxicity - fish early life stage Supplier's information.
NOEC, 302 days: 0.42 mg/l, Freshwater fish

Chronic toxicity - aquatic invertebrates Supplier's information.
NOEC, 21 days: 0.7 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Biodegradation Expected to be readily biodegradable.
Water - Degradation 100%: 28 days
REACH dossier information.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

SODIUM CHLORIDE

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Biodegradation The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not applicable.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: ~ 0.3 REACH dossier information.

SODIUM CHLORIDE

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not technically possible for a mixture.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Bioaccumulative potential No information available.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

Mobility The product is soluble in water.

Adsorption/desorption coefficient - Log Koc: 0.34 @ °F

SODIUM CHLORIDE

Mobility The product is water-soluble and may spread in water systems.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

C12-14-ALKYL ETHER SULFATES

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

SODIUM CHLORIDE

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

SODIUM CHLORIDE

Other adverse effects None known.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

GB (UK) CLP and REACH Regulations.
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EH40/2005 Workplace exposure limits.
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
The Product Safety and Metrology etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 696) (as amended).
The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020 - as amended

EU legislation

European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)
European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended)
European Regulation (EC) No 648/2004 on detergents (as amended)
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006,

Guidance

Workplace Exposure Limits EH40.
ECHA Guidance on the Application of the CLP Criteria.
ECHA Guidance on the compilation of safety data sheets.
COSHH Essentials.
Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

DNEL: Derived No Effect Level.
PBT: Persistent, Bioaccumulative and Toxic substance.
PNEC: Predicted No Effect Concentration.
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

COUNTRY RANGE CONCENTRATED LEMON WASHING UP LIQUID

Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision. Review of SDS with no change of classification.
Issued by	Violeta Cotoman
Revision date	03/01/2023
Revision	5
Supersedes date	02/07/2018
SDS number	22670
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.
----- END OF SDS -----